



R25 DRILL ROD 钎杆

R32 - Hex 25 - R25 Drifter Rod 普杆




长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
2100	6' 10 5/8"	R32/R25	Hex25	9
2400	7' 10 1/2"	R32/R25	Hex25	10
2600	8' 6 3/8"	R32/R25	Hex25	10
2900	9' 6 1/8"	R32/R25	Hex25	12
3090	10' 1 5/8"	R32/R25	Hex25	12
3700	12' 1 5/8"	R32/R25	Hex25	15
4000	13' 1 1/2"	R32/R25	Hex25	16
4750	15' 7"	R32/R25	Hex25	19

R32 - Hex 28 - R25 Drifter Rod 普杆




长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
1000	3' 3 3/8"	R32/R25	Hex28	5
2800	9' 2 1/4"	R32/R25	Hex28	14
3330	11'	R32/R25	Hex28	17

R25 Hex 22 Extension Rod 普杆



长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
610	2'	R25	Hex22	2
1 220	4'	R25	Hex22	4

R25 Hex 25 Extension Rod 普杆



长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
915	3'	R25	Hex25	4
1000	3'	R25	Hex25	4
1220	4'	R25	Hex25	5
1525	5'	R25	Hex25	6
1830	6'	R25	Hex25	7
2435	8'	R25	Hex25	9
2800	9'	R25	Hex25	11
3050	10'	R25	Hex25	12

R25 Hex 25 Speed Rod 快杆



长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
610	2'	R25	Hex25	3
1220	4'	R25	Hex25	6
1830	6'	R25	Hex25	8
3050	10'	R25	Hex25	12

R28 DRILL ROD 钎杆

R32 - Hex 28 - R28 Drifter Rod 普杆



长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
2400	7' 10 1/2"	R32/R28	Hex28	12
2750	9' 1 1/4"	R32/R28	Hex28	14
3400	11' 1 7/8"	R32/R28	Hex28	17
4310	14' 1 5/8"	R32/R28	Hex28	22

R38 - Hex 28 - R28 Drifter Rod 普杆



长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
2400	7' 10 1/2"	R38/R28	Hex28	13
2750	9' 1 1/4"	R38/R28	Hex28	15
3090	10' 1 5/8"	R38/R28	Hex28	16
3700	12' 1 5/8"	R38/R28	Hex28	19


R32 - Hex 32 - R28 Drifter Rod 普杆



长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
2400	7' 10 1/2"	R32/R28	Hex32	13
2750	9' 1 1/4"	R32/R28	Hex32	15
3090	10' 1 5/8"	R32/R28	Hex32	16
3700	12' 1 5/8"	R32/R28	Hex32	19


SR32 DRIFTER ROD 钎杆

R32 - Hex 32 - SR32 Drifter Rod 普杆



长度(L)		螺纹 Thread	型号 Shape	重量 (Kg) Weight
mm	ft/in			
2670	8' 9 1/8"	R32/SR32	Hex32	18
3090	10' 1 5/8"	R32/SR32	Hex32	17
3700	12' 1 5/8"	R32/SR32	Hex32	207

T38 - Hex 32 - SR32 Drifter Rod 普杆




长度(L)		螺纹 Thread	型号 Shape	重量 Kg
mm	ft/in			
2200	7' 2 5/8"	T38/SR32	Hex32	147
3090	10' 1 5/8"	T38/SR32	Hex32	20
3700	12' 1 5/8"	T38/SR32	Hex32	25

R32 DRILL ROD 钎杆


R38 - Hex32 - R32 Drifter Rod 普杆



T38 - Hex 32 - R32 Drifter Rod 普杆



R38 - Hex 35 - R32 Drifter Rod 普杆



T38 - Hex 35 - R32 Drifter Rod 普杆




T38 - Hex 35 - R32 Speed Rod 快杆



长度(L)		螺纹 Thread	型号 Shape	重量(Kg) Weight
mm	ft/in			
2400	7' 10 1/2"	R38/R32	Hex32	16
2700	10' 1 1/4"	R38/R32	Hex32	18
3090	10' 1 5/8"	R38/R32	Hex32	20
3700	12' 1 5/8"	R38/R32	Hex32	24
4310	14' 1 5/8"	R38/R32	Hex32	28
4600	15'	R38/R32	Hex32	30
2400	7' 10 1/2"	T38/R32	Hex32	16
3090	10' 1 5/8"	T38/R32	Hex32	20
3400	11' 1 7/8"	T38/R32	Hex32	22
3700	12' 1 5/8"	T38/R32	Hex32	24
3090	10' 1 5/8"	R38/R32	Hex35	24
3700	12' 1 5/8"	R38/R32	Hex35	29
4310	14' 1 5/8"	R38/R32	Hex35	33
4920	16' 1 3/4"	R38/R32	Hex35	38
2400	7' 10 1/2"	T38/R32	Hex35	19
2700	10' 1 1/4"	T38/R32	Hex35	22
3090	10' 1 5/8"	T38/R32	Hex35	24
3700	12' 1 5/8"	T38/R32	Hex35	29
4310	14' 1 5/8"	T38/R32	Hex35	34
4500	14' 9 1/8"	T38/R32	Hex35	35
4920	16' 1 3/4"	T38/R32	Hex35	38
5530	18' 1 3/4"	T38/R32	Hex35	43
6095	20' 1/8"	T38/R32	Hex35	48
6400	21'	T38/R32	Hex35	50
3700	12' 1 5/8"	T38/R32	Hex35	30
4310	14' 1 5/8"	T38/R32	Hex35	34
4920	16' 1 3/4"	T38/R32	Hex35	38

SR35 DRILL ROD 钎杆

T38 - Hex 35 - SR35 Drifter Rod 普杆



R38 - Hex 35 - SR35 Drifter Rod 普杆



T38 - Rnd39 -SR35 Drifter Rod 普杆



T38 - Rnd39 -SR35 Drifter Speed Rod 快杆




SR38 - Rnd39 -SR35 Drifter Speed Rod 快杆



长度(L)		螺纹 Thread	型号 Shape	重量(Kg) Weight
mm	ft/in			
2000	6' 6 3/4"	T38	Hex35	16
2400	7' 10 1/2"	T38	Hex35	19
2670	8' 9 1/8"	T38	Hex35	21
3090	10' 1 5/8"	T38	Hex35	24
3150	10' 4"	T38	Hex35	25
3700	12' 1 5/8"	T38	Hex35	29
4310	14' 1 5/8"	T38	Hex35	34
4920	16' 1 3/4"	T38	Hex35	38
5530	18' 1 3/4"	T38	Hex35	43
6400	21'	T38	Hex35	50
3090	10' 1 5/8"	R38	Hex35	24
3150	10' 4"	R38	Hex35	25
3700	12' 1 5/8"	R38	Hex35	29
4310	14' 1 5/8"	R38	Hex35	34
4310	14' 1 5/8"	T38	Rnd39	35
4920	16' 1 3/4"	T38	Rnd39	41
5530	18' 1 3/4"	T38	Rnd39	46
6095	20' 1/8"	T38	Rnd39	50
6400	21'	T38	Rnd39	56
4310	14' 1 5/8"	T38	Rnd39	35
4920	16' 1 3/4"	T38	Rnd39	41
5530	18' 1 3/4"	T38	Rnd39	47
6095	20' 1/8"	T38	Rnd39	50
4310	14' 1 5/8"	SR38	Rnd39	36
4920	16' 1 3/4"	SR38	Rnd39	42
5530	18' 1 3/4"	SR38	Rnd39	47
6095	20' 1/8"	SR38	Rnd39	52
6400	21'	SR38	Rnd39	58


SR38/R38 DRILL ROD 钎杆

SR38 - Rnd 39 - SR38 Drifter
Speed Rod 快杆




长度(L)		螺纹 Thread	型号 Shape	重量(Kg) Weight
mm	ft/in			
1830	6'	SR38	Rnd39	15
2400	7' 10 1/2"	SR38	Rnd39	20
3050	10' 1 5/8"	SR38	Rnd39	25
4920	16' 1 3/4"	SR38	Rnd39	42

R38 - Rnd39-R38 Extension Rod 普杆



长度(L)		螺纹 Thread	型号 Shape	重量(Kg) Weight
mm	ft/in			
1830	6'	R38	Rnd39	15
2400	8'	R38	Rnd39	20
3050	10' 1 5/8"	R38	Rnd39	25
4920	16' 1 3/4"	R38	Rnd39	41

T38-Hex32-T38 普杆



长度(L)		螺纹 Thread	型号 Shape	重量(Kg) Weight
mm	ft/in			
3050	10'	T38	HEX 32	19
4000	13' 1 1/2"	T38	HEX 32	24